

1. An electronic interface for permitting a user to communicate subjective data information, the interface comprising:
 - a parameter menu, said menu providing a user visible set of data parameters which may be associated with the subjective data information;
 - a parameter canvas, said canvas being simultaneously visible with said parameter menu, and being usable by the user for identifying any of such data parameters that are associated with the subjective data information.
2. The interface of claim 1, wherein all of the user's subjective data information is captured by such interface using said data parameters.
3. The interface of claim 1, wherein all of the user's subjective data information is captured by such interface during the entirety of a data collection session using a single data collection screen.
4. The interface of claim 1, wherein the subjective data information pertains to the user's mental impressions of an actual or proposed action and/or transaction.
5. The interface of claim 5, wherein said transaction is an event or an item of interest to the user.
6. The interface of claim 1, wherein the subjective data information pertains to lessons learned by such user associated with an action and/or transaction.
7. The interface of claim 1, wherein said data parameters associated with the subjective data information are selected and moved by such user along a distance spanning from said parameter menu to said parameter canvas by physically manipulating an electronic pointing device.
8. The interface of claim 7, wherein said distance is less than approximately half the width of said interface as seen by the user.
9. The interface of claim 1, wherein said identified data parameters associated with the subjective data information are stored as one or more electronic records corresponding to an electronic data picture.
10. The interface of claim 9, wherein said data picture includes numeric data values, but is generated without numeric data input by the user.

11. The interface of claim 10, wherein said numeric data values are based on the physical location of said data parameters as placed by the user on said parameter canvas.
12. The interface of claim 11, wherein said electronic data picture can be retrieved and modified at a later time by the user using such interface.
13. The interface of claim 1, wherein said data parameters can be ranked in relative importance by the user based on their location on said parameter canvas.
14. The interface of claim 13, wherein a relative ranking between data parameters can be changed by the user by altering a relative physical arrangement of said data parameters on said parameter canvas.
15. The interface of claim 13, wherein said data parameters can be ranked by both a relative horizontal and vertical location on said parameter canvas.
16. The interface of claim 13, wherein said parameter canvas includes a gradient visible to the user for assisting in the ranking of said data parameters.
17. The interface of claim 16, further wherein said parameter canvas conveys visible feedback information when the user is arranging said data parameters.
18. The interface of claim 1, wherein when the interface is invoked by the user, an initial proposed data picture is presented to the user on said data canvas, which initial proposed data picture can be modified by the user.
19. The interface of claim 1, wherein said data parameters include data parameters visibly displayed in text format.
20. The interface of claim 1, wherein said data parameters include data parameters visibly displayed in symbolic format.
21. The interface of claim 1, wherein said data parameters include factors associated with a user's reasons for performing or engaging in a particular activity.
22. The interface of claim 1, wherein said data parameters include factors associated with a user's mental impressions of an item or event.
23. The interface of claim 1, wherein said data parameters include factors associated with lessons learned by a user concerning an event.

24. An electronic interface for permitting an operator to identify parameters concerning an action and/or transaction, the interface comprising:
- a menu providing a set of parameters available for selection by the operator, said menu occupying a first portion of the interface;
- a preference field occupying a second portion of the interface for visually displaying any identified personal parameters selected by the operator for the particular operator transaction from said set of parameters;
- wherein the operator can dynamically select such personal parameters in said menu and move them to said preference field; and
- further wherein said personal parameters are stored in a transaction record form usable by a computing system.
25. The interface of claim 24, wherein the personal parameters describe one or more mental impressions of such transaction.
26. The interface of claim 24, wherein said parameters are selected and moved by such operator along a distance spanning from said menu to said preference field by physically manipulating an electronic pointing device.
27. The interface of claim 26, wherein said distance is less than approximately half the width of said interface as seen by the operator.
28. The interface of claim 24, wherein said transaction record form includes numeric data values, but is generated without numeric data input by the operator.
29. The interface of claim 28, wherein said numeric data values are based on the physical location of said parameters as placed by the operator in said preference field.
30. The interface of claim 24, wherein said identified personal parameters can be ranked in relative importance by the operator based on their location in said preference field.

31. The interface of claim 30, wherein a relative ranking between data parameters can be changed by the user by altering a relative physical arrangement of said data parameters on said parameter canvas.
32. The interface of claim 30, wherein said preference field includes a gradient visible to the operator for assisting in the ranking of said parameters.
33. The interface of claim 30, wherein said parameters can be ranked by both a relative horizontal and vertical location in said preference field.
34. The interface of claim 32, further wherein said preference field conveys visible feedback information when the operator is arranging said parameters.
35. The interface of claim 24, wherein when the interface is invoked by the operator, an initial proposed arrangement of parameters is presented to the operator in said preference field, which initial proposed arrangement can be modified by the operator.
36. The interface of claim 24, wherein said parameters include factors associated with an operator's reasons for performing or engaging in a particular activity.
37. The interface of claim 22, wherein said parameters include factors associated with lessons learned by a user concerning an event.
38. The interface of claim 22, wherein said transaction record can be retrieved and modified by the operator at a later time.
39. The interface of claim 22, wherein said parameters can be customized by the operator.
40. The interface of claim 22, wherein said interface also provides a visual comparison between data in said transaction record and other transaction records.
41. The interface of claim 22, wherein said interface also provides visual feedback to such operator based on an evaluation of said data in said transaction record.

42. An electronic interface for collecting information for a data picture, the interface comprising:

a data palette providing a set of data parameters available for selection; and

a data canvas, separate from said data palette, on which said data parameters can be displayed and arranged arbitrarily by a user to generate the data picture; and

wherein said data picture embodies information collected from the user and pertaining to the user's perceptions concerning a particular action and/or transaction.

43. The interface of claim 42, wherein said data parameters are selected and moved by such user to a gradient on said data canvas by physically manipulating an electronic pointing device.

44. The interface of claim 42, wherein said data picture is generated using a single data capture screen including said data palette and said data canvas.

45. The interface of claim 42, wherein said data picture is translatable into one or more electronic records including numeric data values, but said data picture is generated without numeric data input by the user.

46. The interface of claim 45, wherein said numeric data values are based on the physical location of said data parameters as placed by the user on said data canvas.

47. The interface of claim 42, wherein said data parameters can be ranked in relative importance by the user based on their location on said data canvas.

48. The interface of claim 47, further wherein said data canvas conveys visible feedback information when the user is arranging said data parameters.

49. The interface of claim 42, wherein said data parameters include factors associated with lessons learned by a user concerning such action and/or transaction.

50. The interface of claim 42, wherein said interface also provides a visual comparison between data in said data picture and other data pictures.

51. The interface of claim 42, wherein said interface also provides visual feedback to such operator based on an evaluation of said data in said transaction record.
52. The interface of claim 42, wherein said parameters can be customized by the user.

500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

53. A method of inputting data to a computer program, said method comprising:
presenting a parameter menu to a user, said menu providing a user visible set of
data parameters which may be associated with subjective data information;
presenting a parameter canvas to said user, said canvas being simultaneously
visible with said parameter menu, and being usable by the user for identifying any
of such data parameters that are associated with the subjective data information;
wherein the data input to such computer program consists of said data
parameters identified by said user on said parameter canvas.
54. The method of claim 53, wherein the subjective data information pertains to the
user's mental impressions of an actual or proposed transaction.
55. The method of claim 54, wherein said transaction is an event or an item of interest
to the user.
56. The method of claim 53, wherein said data parameters associated with the
subjective data information can be selected and moved by said user along a
distance spanning from said parameter menu to said parameter canvas by
physically manipulating an electronic pointing device.
57. The method of claim 56, wherein said distance is less than approximately half the
width of said interface as seen by the user.
58. The method of claim 53, further including a step of storing said data parameters as
one or more electronic records corresponding to an electronic data picture.
59. The method of claim 58, wherein said data picture includes numeric data values,
but is generated without numeric data input by the user.
60. The method of claim 59, wherein said numeric data values are based on the
physical location of said data parameters as placed by the user on said parameter
canvas.
61. The method of claim 53, further including a step of ranking said data parameters
on said parameter canvas.

62. The method of claim 61, wherein said data parameters can be ranked according to their physical arrangement on said parameter canvas.
63. The method of claim 61, further including a step of providing a gradient visible to the user for assisting in the ranking of said data parameters.
- 5 64. The method of claim 61, further including a step of providing visible feedback information when the user arranges said data parameters.
65. The method of claim 61, wherein said data parameters can be ranked by both a relative horizontal and vertical location on said parameter canvas.
- 10 66. The method of claim 53, further including a step of presenting an initial data picture to the user on said data canvas, which initial proposed data picture can be modified by the user.
67. The method of claim 53, wherein said data parameters include factors associated with a user's reasons for performing or engaging in a particular activity.
- 15 68. The method of claim 53, wherein said data parameters include factors associated with lessons learned by a user concerning an event.
69. The method of claim 53, further including a step of providing a visual comparison between said data input and other data previously input using said parameter canvas.
- 20 70. The method of claim 53, further including a step of providing visual feedback based on an evaluation of said data input.
71. The method of claim 53, wherein said parameter canvas captures substantially all of the user's subjective data information.
72. The method of claim 53, wherein all of the user's subjective data information is captured during a data collection session using a single data collection screen.
- 25 73. The method of claim 53, wherein said parameters can be customized by the operator.
74. The method of claim 53, wherein said data input by said user is utilized by part of an applications program executable by said user using a computing system.

75. A method for permitting a user to identify personal parameters concerning an action and/or transaction to a computer program, the method comprising the steps of:

providing a menu of one or more parameters available for selection by the user, said menu being displayed in a first portion of an interface visible to the user; and providing a preference field occupying a second portion of the interface visible to the user; and

permitting the user to move any of said parameters to said preference field so as to identify such user's personal parameters associated with the transaction; and

generating a data picture by visually displaying said personal parameters ranked in an order of importance to the user; and

storing said personal parameters are stored in a transaction record form usable by the computer program.

76. The method of claim 75, wherein all of the user's personal parameters are captured using a single data picture.

77. The method of claim 75, wherein all of the user's personal parameters are captured during a data collection session using a single data collection screen.

78. The method of claim 75, wherein the personal parameters describe one or more mental impressions of such action and/or transaction.

79. The method of claim 75, wherein said parameters associated with the transaction can be selected and moved by said user along a distance spanning from said menu to said preference field by physically manipulating an electronic pointing device.

80. The method of claim 79, wherein said distance is less than approximately half the width of said interface as seen by the user.

81. The method of claim 75, wherein said transaction record includes numeric data values, but is generated without numeric data input by the user.

82. The method of claim 81, wherein said numeric data values are based on the physical location of said parameters as placed by the user in said preference field.

83. The method of claim 75, wherein said parameters can be ranked according to their physical arrangement in said preference field.
84. The method of claim 75, further including a step of providing a gradient visible to the user for assisting in the ranking of said parameters.
- 5 85. The method of claim 75, further including a step of providing visible feedback information when the user arranges said parameters.
86. The method of claim 75, wherein said data parameters can be ranked by both a relative horizontal and vertical location in said preference field.
- 10 87. The method of claim 75, further including a step of presenting an initial data picture to the user in said preference fields, said initial data picture being based on prior data pictures previously entered by the user.
88. The method of claim 75, wherein said parameters include factors associated with a user's reasons for performing or engaging in a particular activity.
- 15 89. The method of claim 75, further including a step of providing a visual comparison between said data picture and other data pictures.
90. The method of claim 75, further including a step of providing visual feedback based on an evaluation of said data input.

91. A method of generating a data picture using a computer program, the method comprising the steps of:
- providing a data palette, said palette including a set of data parameters available for selection by a user of the program; and
- providing a data canvas, separate from said data palette, on which said data parameters can be displayed and arranged arbitrarily by said user to generate the data picture; and
- wherein said data picture embodies information collected from said user and pertaining to the user's mental impressions concerning a particular action and/or transaction.
92. The method of claim 91, wherein all of the information collected from said user is captured using a single data picture.
93. The method of claim 91, wherein all of the user's information is captured during a data collection session using a single data collection screen.
94. The method of claim 91, wherein said data picture is stored as part of a transaction record which includes numeric data values, but said data picture is generated without numeric data input by the user.
95. The method of claim 91, wherein said numeric data values are based on the physical location of said data parameters as placed by the user on said data canvas.
96. The method of claim 91, further including a step of permitting said user to rank said data parameters on said data canvas.
97. The method of claim 91, wherein said data parameters can be ranked according to their physical arrangement on said data canvas.
98. The method of claim 91, further including a step of providing visual feedback based on an evaluation of said data input.

99. A method of permitting a user to input a data picture expressing mental impressions concerning an action and/or transaction, the method comprising the steps of:

providing a set of a plurality of individual assertions, said assertions being associated with such mental impressions; and

displaying said set of assertions to the user in a first portion of a visible electronic interface; and

permitting the user to select and move personalized individual assertions taken from said set of assertions to a second, separate portion of said visible interface, which separate portion acts as a data canvas for displaying such personalized individual assertions; and

wherein said personalized individual assertions can be arranged by the user to create the data picture.

100. The method of claim 99, wherein all of the information collected from said user is captured using a single data picture.

101. The method of claim 99, wherein all of the user's information is captured during a data collection session using a single data collection screen.

102. The method of claim 99, wherein numeric data values are assigned to said data parameters based on the physical location of said data parameters as placed by the user on said data canvas.

103. The method of claim 99, further including a step of permitting said user to rank said data parameters on said data canvas.

104. The method of claim 103, wherein said data parameters can be ranked according to their physical arrangement on said data canvas.

105. The method of claim 99, further including a step of providing visual feedback based on an evaluation of said data input.

106. A method of capturing data concerning an actual or proposed transaction from a user of a computing system, said system including at least a keyboard and pointing device for inputting data, the method comprising the steps of:
- 5 providing a set of a plurality of individual assertions, said assertions being associated with mental impressions of the user relating to the transaction; and displaying said set of assertions to the user in a first portion of a visible electronic interface; and
- 10 permitting the user to select and move individual ones of said assertions taken from said set of assertions to a second, separate portion of said visible interface, which separate portion acts to visibly display such selected individual assertions along a gradient; and
- 15 permitting the user to arrange said selected individual assertions in a ranking order relative to each other along said gradient;
- wherein said data is collected from said user substantially without input from the keyboard, and said data is calculated based only on those selected individual assertions from the user.
107. The method of claim 106 further wherein all of the information collected from said user is captured using said set of assertions.
108. The method of claim 106 further wherein all of the user's information is captured during a data collection session using a single data collection screen.
- 20 109. The method of claim 106, wherein numeric data values are assigned to said selected individual assertions based on their physical location as placed by the user on said data canvas.
110. The method of claim 106, further including a step of providing a visual
- 25 comparison between said data and data collected from said user during a prior data capture session.

111. A method of generating program data from user input data concerning an actual or proposed action and/or transaction, the method comprising the steps of:

providing the user with a palette of individual data parameters associated with the user's perceptions of such action and/or transaction; and

5 permitting the user to select and move individual ones of said assertions taken from said set of assertions to a second, separate portion of said visible interface, which separate portion acts to visibly display such selected individual assertions; and

10 permitting the user to arrange said selected individual assertions in a ranking order relative to each other so as to constitute user input data;

converting said user input data into program data, by assigning numerical values to such program data corresponding to said arrangement of said selected individual assertions.

15 112. The method of claim 111, wherein said numeric data values are based on the physical location of said individual assertions as placed by the user on said second portion of said interface.

113. The method of claim 111, further including a step of providing a gradient visible to the user for assisting in the ranking of said individual assertions.

20 114. The method of claim 111, further including a step of providing visible feedback information when the user arranges said individual assertions.

115. The method of claim 111, wherein said individual assertions include statements associated with lessons learned by a user concerning such action and/or transaction.

25 116. The method of claim 116, further including a step of retrieving and modifying said lessons at a later time.

117. The method of claim 111 wherein said assertions can be customized by the user.

118. The method of claim 111, further including a step of providing a visual comparison between said data and program data collected from said user during a prior session.
119. The method of claim 111, further including a step of providing visual feedback based on an evaluation of said program data.
120. The method of claim 111 further wherein all of the user's information is captured during a data collection session using a single data collection screen.

118. The method of claim 111, further including a step of providing a visual comparison between said data and program data collected from said user during a prior session.

119. The method of claim 111, further including a step of providing visual feedback based on an evaluation of said program data.

120. The method of claim 111 further wherein all of the user's information is captured during a data collection session using a single data collection screen.